

DEPARTMENT OF DEFENSE INDEX OF  
SPECIFICATIONS AND STANDARDS

---

**DODISS NOTICE**

---

1 JULY 2000 / FOR PERIOD 15 JUNE 2000 TO 30 JUNE 2000 / VOL. 12/ NO. 00

**ATTENTION**

The DODISS NOTICE is published on the 1<sup>st</sup> and 15<sup>th</sup> of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

**<http://dodssp.daps.mil/dodiss.htm>**

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents will be available within 30 days and non-Government Standards within 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

## ACTIVE SECTION

## DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-PRF-71167A	CARTRIDGE, 7.62MM, XM973 BALL SHORT RANGE TRAINING AMMUNITION[CUST: AR]	A	1305		AR	14-APR-00
M MIL-DTL-25959D(2) NOT 2	TIE DOWNS, CARGO, AIRCRAFT[CUST: AS 99]	A	1670		11	27-JUN-00
N PIA-PS70106	GRIP, PARACHUTE RIP CORD, CLOVERLEAF[CUST: GL AS 99 IS] [REVIEW: 11 82 AV MC]	A	1670		GS	7-JAN-98
N MIL-HDBK-2141	DEFINITIONS AND SYSTEMS OF UNITS, MAGNETIC SILENCING (METRIC)[CUST: SH]	A	1905		SH	01-JUN-83
N A-A-59556	SAWS, BAND, CUTOFF, VERTICAL, TILT-FRAME, TRAVELING[CUST: AL SH 99 GS] [REVIEW: 84]	A	3405	/	GS	16-JUN-00
M QPL-22200-63	ELECTRODES, WELDING, COVERED; GENERAL SPECIFICATION FOR	A	3439		SH	17-MAR-00
M NFPA58-98	LIQUEFIED PETROLEUM GAS CODE[CUST: YD] [REVIEW: CE MC]	A	4540		IS	02-APR-98
M SAE-AS5173	FITTING, BUSHING, PORT, REDUCER[CUST: AV AS 99] [REVIEW: 82 AT MC SA]	A	4730		CC	JAN-00
N SAE-AS5194	FITTING, ADAPTER, STRAIGHT PIPE TO FLARED[CUST: 99] [REVIEW: 82]	A	4730		CC	MAR-98
M NFPA407-96	AIRCRAFT FUEL SERVICING[CUST: CR4 YD 99] [REVIEW: AS CE]	A	4930		IS	02-FEB-96
N NASM525	SCREW - WASHER HEAD[CUST: AV AS 99]	A	5305		IS	SEP-99
N NASM21207	SCREW, TAPPING, 100 DEGREE FLAT HEAD, SPACED THREAD[CUST: AS 99 IS]	A	5305		IS	MAR-00
N NASM24674	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNC-3A)[CUST: AR OS 99]	A	5305		IS	SEP-99
M NASM51474	SCREW, CAP, HEX HEAD, FULLY THREADED -METRIC[CUST: AR IS]	A	5305		IS	MAR-00
N NASM51959	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A[CUST: AR SH 99]	A	5305		IS	SEP-99
N NASM16208	BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL UNC-2A, NONMAGNETIC[CUST: IS]	A	5306		IS	MAR-00
M NASM23964	BOLT, SELF-RETAINING, POSITIVE LOCKING[CUST: AS 99 IS]	A	5306		IS	MAR-00
M NASM83050	BOLT, SELF-RETAINING, IMPEDANCE TYPE[CUST: AV 99]	A	5306		IS	MAR-00
N NASM85604	BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FTU AND 220 KSI FTU), HIGH TEMPERATURE, SPLINE DRIVE GENERAL SPECIFICATION FOR[CUST: AV AS 11]	A	5306		IS	MAR-00
M NASM63540-3	STUD, SELF-CLINCHING, FLUSH HEAD, HEX CLINCH TYPE[CUST: AR MC 99 IS]	A	5307		IS	MAR-00
N NASM63540-4	STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE[CUST: AR MC 99]	A	5307		IS	MAR-00
M NASM63540-5	STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE[CUST: AR MC 99 IS]	A	5307		IS	MAR-00
N NASM14222	NUT, SELF-LOCKING, 450 DEG. F. HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL[CUST: AV AS 99]	A	5310		IS	DEC-99
N NASM17830	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 DEG. F. AND 450 DEG. F (NON-METALLIC INSERT), 300 SERIES CORROSION RESISTANT STEEL[CUST: AV AS 99]	A	5310		IS	DEC-99
M NASM8975	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM[CUST: AV 99 IS]	A	5320		IS	NOV-99
N NASM8975-2	FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD, TYPE II, CLASS I[CUST: AV AS 11]	A	5320		IS	DEC-99
M NASM20613	RIVET, SOLD-UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT[CUST: AR OS 99 IS]	A	5320		IS	NOV-99
N NASM122076THRU122115	INSERT, CRES HELICAL COIL COARSE THREAD, 1 DIA NOMINAL LENGTH[CUST: AV AS 99]	A	5325		IS	DEC-99
M NASM124771THRU124810	INSERT, CRES HELICAL COIL FINE THREAD, 2-1/2 DIA NOMINAL LENGTH[CUST: AV AS 99 IS]	A	5325		IS	DEC-99
N NASM124811THRU124850	INSERT, CRES HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH[CUST: AV AS 99]	A	5325		IS	DEC-99
N SAE-AS90376	CAP, DUST, PLASTIC, ELECTRIC CONNECTOR[CUST: CR AS 99 IS]	A	5340		AS	MAR-00
N A-A-59557	RING, DEE - MEDIUM[CUST: AR GS] [REVIEW: AT MI]	A	5365	/	GS	23-JUN-00
N A-A-59558	RING, LOCK, SERRATED[CUST: AR AS 99 GS] [REVIEW: 82 AT AV CR MC NS]	A	5365	/	GS	23-JUN-00
N A-A-59561	SHIM, SOLID, ROUND[CUST: AR GS] [REVIEW: AV MI]	A	5365	/	GS	23-JUN-00
N ASME-B18.24.2-98	CODE SYSTEM STANDARD FOR B18 INTERNALLY THREADED PRODUCTS, PART IDENTIFYING NUMBER (PIN)[CUST: AR AS 99]	A	53GP		AR	14-OCT-98
M QPL-39035-77	RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CC	28-JUN-00
M QPL-19978-63	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC), DIELECTRIC (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY	A	5910		CC	30-JUN-00
M QPL-39003-81	CAPACITOR, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	20-JUN-00
M QPL-39018-66	CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	28-JUN-00
M QPL-83421-49	CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	20-JUN-00
M QPL-15160-65	FUSES, INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR	A	5920		CC	14-JUN-00
M MIL-S-15291/1A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC]	A	5930		CC	16-JUN-00
M MIL-S-15291/2A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/3A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/4A(1)	SWITCHES, ROTARY, DETENT AND SPRING-RETURN ACTION CLASS 1 SRN FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/5A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/6B(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/7A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/9A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/10A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 6SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/12B(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M MIL-S-15291/13A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR BASE MOUNTED, SIDE CONNECTED[CUST: SH CC]	A	5930		CC	13-JUN-00
M QPL-12285-12	SWITCH, THERMOSTATIC	A	5930		CC	14-JUN-00
M QPL-22710-25	SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSH BUTTON GENERAL SPECIFICATION FOR	A	5930		CC	30-JUN-00
M QPL-22885-81	SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR	A	5930		CC	29-JUN-00

## ACTIVE SECTION

## DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-C-28840A(6) SUP 1	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR[CUST: EC CC][REVIEW: OS SH YD]	A	5935		CC	05-MAY-00
M MIL-C-55302/24F(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 10 THRU 110 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-JUN-00
M MIL-C-55302/25E(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-JUN-00
M MIL-C-55302/26E(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-JUN-00
M MIL-C-55302/27H(2)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-JUN-00
M MIL-C-55302/110G(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 30 THROUGH 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID)[CUST: CR EC 11 CC][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	16-JUN-00
M MIL-C-55302/113E(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, 30 THROUGH 110 CONTACT POSITIONS, CRIMP REMOVABLE CONTACTS (.100 SQUARE GRID)[CUST: 11][REVIEW: 19 99]	A	5935		CC	16-JUN-00
M MIL-C-55302/117D(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: 11][REVIEW: 19 99]	A	5935		CC	16-JUN-00
M MIL-C-55302/118D(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: CR EC 11][REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-JUN-00
M MIL-C-55302/119G(2)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING)[CUST: 11 CC][REVIEW: 19 99]	A	5935		CC	16-JUN-00
N EIA364.5B	CONTACT INSERTION, RELEASE AND REMOVAL FORCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.8B	CRIMP TENSILE STRENGTH TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.24B	MAINTENANCE AGING TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.25C	PROBE DAMAGE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.29B	CONTACT RETENTION TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.37B	CONTACT ENGAGEMENT AND SEPARATION FORCE TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N EIA364.40B	CRUSH TEST PROCEDURE FOR ELECTRICAL CONNECTORS[CUST: CR AS 11]	A	5935		AS	05-FEB-98
N A-A-59559	POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), DUAL O-RING SEAL[CUST: CR SH 11 GS][REVIEW: 99 AR AS AT MC MI OS]	A	5940	/	GS	23-JUN-00
N A-A-59560	POST, BINDING, ELECTRICAL (INSULATED)[CUST: CR EC 11 GS][REVIEW: 99 MI]	A	5940	/	GS	23-JUN-00
N MIL-PRF-83446/29	COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
N MIL-PRF-83446/30	COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
N MIL-PRF-83446/31	COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
N MIL-PRF-83446/32	COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
N MIL-PRF-83446/33	COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
N MIL-PRF-83446/35	COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE)[CUST: CR EC 11 CC][REVIEW: 19 AS MI OS]	A	5950		CC	01-JUN-00
M QPL-1-138	ELECTRON TUBES, GENERAL SPECIFICATION FOR	A	5960		CC	15-JUN-00
M MIL-PRF-19500/182E(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N720A, 2N1893, 2N1893S, JAN, JANTX, AND JANTXV[CUST: CR EC 11 CC][REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961		CC	16-JUN-00
M MIL-PRF-19500/336E(1)	SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON TYPES 2N3810, 2N3810L, 2N3810U, 2N3811, 2N3811L AND 2N3811U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 CC NA][REVIEW: 13 19 99 AS AV CG MC MI]	A	5961		CC	22-JUN-00
M MIL-PRF-19500/477C(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US JAN, JANTX, JANTXV, JANJ, JANS, JANHC AND JANKC[CUST: CR EC 11 CC NA][REVIEW: 19 99 AR AS AV CG MC MI SM]	A	5961		CC	23-JUN-00
M MIL-PRF-19500/635A	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6710 THROUGH 1N6716 AND 1N6710R THROUGH 1N6716R JANTX, JANTXV, AND JANS AND POWER RECTIFIER, STANDARD RECOVERY, TYPES 1N6710B THROUGH 1N6716B AND 1N6710BR THROUGH 1N6716BR, JANTX, JAN[CUST: CR EC 11 CC NA]	A	5961		CC	16-JUN-00
N MIL-PRF-19500/670	SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N6826, 1N6826US, 1N6831 AND 1N6831US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR EC 11 NA]	A	5961		CC	19-JUN-00
N MIL-PRF-19500/671	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, COMMON CATHODE OR ANODE CENTER TAP, TYPES 1N6828, 1N6828R, 1N6833, 1N6833R, 1N6828U3 AND 1N6833U3 JAN, JANTX, JANTXV, JANS[CUST: CR EC 11 NA]	A	5961		CC	21-JUN-00
M MIL-DTL-85H(1)	WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR[CUST: CR EC 11][REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5985		CC	22-JUN-00
M MIL-DTL-22442/8B(1)	CABLE ASSEMBLY, AIRCRAFT AUDIO, CLOTHING CLIP[CUST: CR AS 11][REVIEW: 99 CC]	A	5995		AS	01-APR-00
M MIL-DTL-22442/32B(1)	CABLE ASSEMBLY, AIRCRAFT AUDIO, ASSOCIATED PARTS[CUST: CR AS 11]	A	5995		AS	01-APR-00
M MIL-DTL-22442/37B(1)	CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-4708A/AIC[CUST: CR AS 11][REVIEW: 99 CC]	A	5995		AS	01-APR-00
M MIL-DTL-22442/38B(1)	CABLE ASSEMBLY, AIRCRAFT AUDIO[CUST: CR AS 11][REVIEW: 99 CC]	A	5995		AS	01-APR-00
M QPL-50884-44	PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR	A	5998		CC	15-JUN-00
M QPL-55110-52	PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR	A	5998		CC	19-JUN-00
M QPL-28861-34	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR	A	59GP		CC	12-JUN-00
M MIL-PRF-85045/13C	CABLE, FIBER OPTIC, EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA][REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M MIL-PRF-85045/14C	CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), LOOSE TUBE, CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA][REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M MIL-PRF-85045/15B	CABLE, FIBER OPTIC, FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA][REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99

## ACTIVE SECTION

## DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-PRF-85045/16B	CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), TIGHT BUFFER, CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M	MIL-PRF-85045/17B	CABLE, FIBER OPTIC, EIGHT FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M	MIL-PRF-85045/18B	CABLE, FIBER OPTIC, FOUR FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M	MIL-PRF-85045/19A	CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M	MIL-PRF-85045/20A	CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC)[CUST: CR SH 11 NA] [REVIEW: 02 19 80 99 AR AV CC EC MI YD]	A	6015		SH	16-SEP-99
M	MIL-B-29595(1)	BATTERIES AND CELLS, LITHIUM, AIRCRAFT, GENERAL SPECIFICATION FOR[CUST: AS]	A	6135		AS	29-JUN-00
M	MIL-STD-681D(1)	IDENTIFICATION CODING AND APPLICATION OF HOOKUP AND LEAD WIRE[Standard Practice][CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR 4 MC MI OS SH]	A	6145		CC	19-JUN-00
N	MIL-HDBK-2053	REQUIREMENTS FOR EMPLOYING STANDARD BATTERIES[CUST: CR NW 99] [REVIEW: 80 AR AS GS MC MI SH]	A	61GP		NW	18-JAN-95
N	A-A-59503	NITROGEN, TECHNICAL[CUST: AV SH 68 GS] [REVIEW: AR AS DS EA MC MD OS YD]	A	6830	/	GS	01-JUN-00
N	A-A-3083	CHAIRS, FOLDING (STEEL)	A	7105	#	FSS	26-APR-00
N	A-A-3183	PAINT, LATEX, EXTERIOR, (FOR WOOD AND MASONRY)[CUST: YD 99 FSS] [REVIEW: 11 84 CE GL MC MD MI MR OS]	A	8010	*	FSS	04-APR-00
M	QPL-24647-6	PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL	A	8010		SH	14-APR-00
M	A-A-2702B NOT 2	SEALING COMPOUND (LIQUID PROTECTANT AND "BEAUTIFIER")[CUST: MR SH]	A	8030	*	FSS	11-APR-00
M	QPL-23236-71	PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC)	A	8030		SH	14-APR-00
M	A-A-529A NOT 2	ADHESIVE AND SEALING COMPOUND, CELLULOSE NITRATE BASE (SOLVENT TYPE)[CUST: MR SH 99]	A	8040	*	FSS	12-APR-00
M	A-A-3139 NOT 2	ADHESIVE, RESILIENT FLOORING, (WATER-BASED)[CUST: 99 FSS] [REVIEW: 84]	A	8040	*	FSS	23-MAR-00
M	A-A-50196B	THREAD, SILK[CUST: GL NU 11 CT] [REVIEW: 82 99 AR MC MD OS]	A	8310	/	CT	20-JUN-00
M	A-A-50198A	THREAD, GIMP, COTTON, BUTTONHOLE[CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD]	A	8310	/	CT	21-JUN-00
M	A-A-52095A	THREAD, POLYESTER, TEXTURED[CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD]	A	8310	/	CT	21-JUN-00
M	MIL-DTL-43695C	FRAME SECTIONS, TENT, FRAME TYPE, EXPANDABLE[CUST: GL 99 CT] [REVIEW: 11 82]	A	8340		CT	23-JUN-00
M	MIL-DTL-43335G	LINER, WET WEATHER PONCHO[CUST: GL CT]	A	8405		CT	17-APR-00
N	MIL-DTL-32066	GLOVES, RUBBER, INDUSTRIAL[CUST: GL NU 99] [REVIEW: AS CG MC MD OS SH YD]	A	8415		CT	14-JUN-00
M	A-A-50114B	PITON, MOUNTAIN, KNIFE BLADE OFFSET[CUST: GL NU 99 CT] [REVIEW: 11 MC]	A	8465	/	CT	26-JUN-00
M	QPL-2104-41	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE	A	9150		AT	31-MAY-00
M	QPL-46176-8	BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE, METRIC	A	9150		AT	31-MAY-00
N	A-A-59502	PLASTIC SHEET, POLYCARBONATE[CUST: MR SH 99 GS] [REVIEW: 19 84 AR AS AT CR MC OS]	A	9330	/	GS	09-JUN-00
N	ASTM-D4976-98	POLYETHYLENE PLASTICS MOLDING AND EXTRUSION MATERIALS[CUST: CR OS 11 GS] [REVIEW: 99 AS AT AV EA MC MR]	A	9330		GS	10-DEC-98
M	ASME-Y14.24-99	DRAWINGS TYPES AND APPLICATIONS OF ENGINEERING DRAWINGS[CUST: AR SA 16 DH] [REVIEW: 02 11 13 19 68 70 71 80 84 99 AS AT AV CC CG CH CR EA EC GL GS IE IS MC MI NP NS OS PT SH SM TD TE YD]	A	DRPR		AR	03-NOV-89
N	MIL-HDBK-2036	ELECTRONIC EQUIPMENT SPECIFICATIONS, PREPARATION OF[CUST: CR SH 11] [REVIEW: 19 AR AV CC CG CR 4 EC MC MI NA OS TE]	A	GDRQ		SH	01-NOV-99
M	MIL-STD-2361A	DIGITAL PUBLICATIONS DEVELOPMENT[Interface Standard][CUST: AC1] [REVIEW: AC2 AL AR AT AV CR CR 4 GL MI MR TE]	A	IPSC		AC1	31-MAY-00

## INACTIVE SECTION

## DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-5886G	CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE[CUST: AV AS 99] [REVIEW: 11]	A	1660	71		19-JUN-00
M	MIL-DTL-5886/1A	CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE[CUST: AV AS 99]	A	1660	71		19-JUN-00
M	MS14163B NOT 3	BOLT, WHEEL, TENSION, STEEL 220 KSI, FTU, 450 DEG. F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD (USE NASM14490)[CUST: AV AS 11 IS]	A	5306	IS		15-JUN-00
M	MIL-H-43905C NOT 1	HASPS, HIGH SECURITY PADLOCKS[CUST: CR4 YD 99 IS] [REVIEW: 82 AR AS CE CG CR GL NP OS SH]	A	5340	IS		22-MAY-00
M	MIL-C-3965/21E(2)	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL55[CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]	A	5910	CC		21-JUN-00
M	MIL-S-15291/11A(1)	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, BACK CONNECTED[CUST: SH CC]	A	5930	CC		13-JUN-00
M	MIL-E-1/1575A(1) NOT 3	ELECTRON TUBE, CATHODE RAY, TYPE 10VP7[CUST: EC CC]	A	5960	CC		08-MAY-00
M	MIL-DTL-14650/1K	STREAMERS, ARMY SET[CUST: IH CT]	A	8345	IH		09-JUN-00
M	MIL-DTL-3628/151A	BADGE, IDENTIFICATION, CAREER COUNSELOR, ARMY[CUST: IH] [REVIEW: CT]	A	8455	IH		06-JUN-00
M	MIL-DTL-3628/208A	BADGE, IDENTIFICATION, SECRETARY, DEPARTMENT OF HEALTH AND HUMAN SERVICES[CUST: IH] [REVIEW: CT]	A	8455	IH		21-JUN-00
N	MIL-DTL-3943/269	MEDAL, KOSOVO CAMPAIGN[CUST: IH NU 11] [REVIEW: 82 99 CT MC]	A	8455	IH		02-JUN-00
M	MIL-DTL-11484/266	LAPEL BUTTON, KOSOVO CAMPAIGN[CUST: IH NU 11] [REVIEW: 82 99 CT MC]	A	8455	IH		02-JUN-00
M	MIL-DTL-11589/532	RIBBON, KOSOVO CAMPAIGN[CUST: IH NU 11 CT] [REVIEW: 82 99 CT MC]	A	8455	IH		02-JUN-00
M	MIL-D-16475/78A NOT 1	DEVICES, METAL, (BREAST AND COLLAR) MARINE SCIENCE TECHNICIAN (U.S. COAST GUARD)[CUST: CG CT]	A	8455	CT		13-MAR-00

# CANCELED SECTION

# DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MS70106B NOT 1	GRIP, PARACHUTE RIP CORD, CLOVERLEAF (S/S BY PS70106)[CUST: GL AS 99 IS] [REVIEW: 11 82 AV MC]	A	1670		GS	26-MAY-00
M MIL-S-24035E NOT 1	SAWS, BAND, CUTOFF, VERTICAL, TRAVELING, TILT-FRAME (S/S BY A-A-59556)[CUST: AL SH 99 GS] [REVIEW: 84]	A	3405		GS	16-JUN-00
M MIL-S-45814D NOT 1	SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL (S/S BY A-A-59335)[CUST: AL SH 99 GS] [REVIEW: 84 MC YD]	A	3405		GS	09-JUN-00
M ASTM-E146-83	ZIRCONIUM AND ZIRCONIUM ALLOYS, CHEMICAL ANALYSIS OF, STANDARD METHODS FOR (NO S/S DOCUMENT)[CUST: MR AS] [REVIEW: AT AV MI OS]	A	3439		AS	28-OCT-83
M MIL-F-19426D(1) NOT 1	FORMING MACHINES, SHEET AND PLATE (S/S BY A-A-50962)[CUST: AL SH 99 GS] [REVIEW: 84 MC SM YD]	A	3441		GS	21-JUN-00
M MIL-S-80093B NOT 1	SHEARING MACHINE, ROTARY, RING AND CIRCLE, METAL, POWER OPERATED (S/S BY A-A-59238)[CUST: SH 99 GS] [REVIEW: AV MC]	A	3445		GS	09-JUN-00
M A-A-52057 NOT 1	REFRIGERATED BASE, SELF-CONTAINED, DRAWER TYPE (NO S/S DOCUMENT)[CUST: GL SA 35 SS] [REVIEW: 50 82 GS MD]	A	4110	/	SS	23-MAY-00
M MIL-D-38386E NOT 2	DUCT ASSEMBLY, GROUND, CONDITIONED AIR, INSULATED, FLEXIBLE (S/S BY SAE-AS38386)[CUST: AS 99 CC] [REVIEW: 82]	A	4720		CC	26-APR-00
M MS24398H NOT 1	ADAPTER, STRAIGHT, TUBE TO BOSS, PRECISION TYPE (S/S BY SAE-AS5173)[CUST: AV AS 99 CC] [REVIEW: 82 AT MC SA]	A	4730		CC	26-MAY-00
M AN816 REV 13 NOT 1	ADAPTER, STRAIGHT, PIPE TO TUBE (S/S BY SAE-AS5194)[CUST: 99] [REVIEW: 82]	A	4730		CC	19-MAY-00
M AN894 REV 9 NOT 1	BUSHING, SCREW THREAD, EXPANDER (S/S BY SAE-AS5173)[CUST: AV AS 99] [REVIEW: 82 MC SA]	A	4730		CC	26-MAY-00
M A-A-2330 NOT 1	PLIERS, DIAGONAL CUTTING (S/S BY ASME-B107.11)	A	5110	#	FSS	18-MAY-00
M A-A-2476 NOT 1	HAMMER, HAND (NONSPARKING AND NONMAGNETIC) (NO S/S DOCUMENT)	A	5120	#	FSS	18-MAY-00
M MS21207A NOT 2	SCREW, TAPPING, 100 DEGREE FLAT HEAD, SPACED THREAD (S/S BY NASM21207)[CUST: AS 99 IS]	A	5305		IS	25-MAY-00
M MS24674D(1) NOT 1	SCREW, CAP, SOCKET-HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNC-3A) (S/S BY NASM24674)[CUST: AR OS 99 IS]	A	5305		IS	21-JUN-00
M MS51045B NOT 1	SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A (S/S BY NASM51045)[CUST: AR 99 IS]	A	5305		IS	04-APR-00
M MS51959D NOT 1	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A (S/S BY NASM51959)[CUST: AR SH 99 IS] [REVIEW: 82 AS AT AV CR CR4 GL MC MI NS OS YD]	A	5305		IS	22-JUN-00
M AN525 REV 2(1) NOT 1	SCREW - WASHER HEAD (S/S BY NASM525)[CUST: AV AS 99 IS]	A	5305		IS	21-JUN-00
M MS16208B NOT 1	BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL UNC-2A, NONMAGNETIC (S/S BY NASM16208)[CUST: IS] [REVIEW: CR4 MI]	A	5306		IS	24-MAY-00
M MIL-S-63540(4) NOT 1	STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE (S/S BY NASM63540/4)[CUST: AR MC 99] [REVIEW: 82 AT CR CR4 OS SH]	A	5307		IS	08-JUN-00
M MS14222 NOT 2	NUT, SELF-LOCKING, 450 DEG. F, HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL (S/S BY NASM14222)[CUST: AV AS 99] [REVIEW: AR CR MI]	A	5310		IS	24-MAY-00
M MS17830E NOT 1	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 DEG. F, AND 450 DEG. F (NON-METALLIC INSERT), 300 SERIES CORROSION RESISTANT STEEL (S/S NASM17830)[CUST: AV AS 99] [REVIEW: 82 CR4 MI SH]	A	5310		IS	24-MAY-00
M MS124691THRUMS124730E NOT 2	INSERT, CRES HELICAL COIL FINE THREAD, 1-1/2 DIA NOMINAL LENGTH (S/S BY NASM124691THRU124730)[CUST: AV AS 99 IS] [REVIEW: 82 AR CR CR4 MC MI OS]	A	5325		IS	31-MAY-00
M MS90376E NOT 1	CAP, DUST, PLASTIC, ELECTRIC CONNECTOR (S/S BY SAE-AS90376, NAS831, OR NAS837)[CUST: CR AS 99 IS] [REVIEW: AR AV]	A	5340		AS	09-JUN-00
M MIL-S-70334/1 NOT 2	SHIM, SOLID, ROUND (S/S BY A-A-59561)[CUST: AR GS] [REVIEW: AV MI]	A	5365		GS	23-JUN-00
M MS51925B NOT 1	RING, DEE-MEDIUM (S/S BY A-A-59557)[CUST: AR GS] [REVIEW: AT MI]	A	5365		GS	23-JUN-00
M MS51990B(3) NOT 1	RING, LOCK, SERRATED (S/S BY A-A-59558)[CUST: AR AS 99 GS] [REVIEW: 82 AT AV CR MC NS]	A	5365		GS	23-JUN-00
M MIL-PRF-122A(4) NOT 2	RESISTORS, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR (S/S BY DSCC DWGS 97009, 97010 AND 97011)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CC	07-JUN-00
M MIL-PRF-122/1C NOT 2	RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP01 (S/S BY DSCC DWGS 97009, 97010, AND 97011)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CC	07-JUN-00
M MIL-PRF-122/3C NOT 2	RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP03 (S/S BY DSCC DWGS 97009, 97010, AND 97011)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CC	07-JUN-00
M MIL-PRF-122/10C NOT 2	RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP10 (S/S BY DSCC DWGS 97009, 97010, AND 97011)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CC	07-JUN-00
M MIL-R-3080B(2) SUP 1A NOT 3	RESISTORS, CURRENT-REGULATING (BALLAST TUBES), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV MC OS]	A	5905		CC	07-JUN-00
M MIL-R-3080/1A NOT 2	RESISTORS, CURRENT-REGULATING (BALLAST TUBES), TYPE TJ601K01 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC OS]	A	5905		CC	07-JUN-00
M MIL-R-3080/11A NOT 2	RESISTORS, CURRENT-REGULATING (BALLAST TUBES), TYPE TJ102L01 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC OS]	A	5905		CC	07-JUN-00
M MIL-R-23285/2D NOT 2	RESISTORS, VARIABLE, NONWIRE-WOUND, STYLE RVC5 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 80 AS AT AV CR4 MC MI OS]	A	5905		CC	07-JUN-00
M MS14012C NOT 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AS AT MT SH]	A	5935		CC	17-MAY-00
M MS14013C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14014C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14015C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14016C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14017C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14018C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14019C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14020C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT]	A	5935		CC	17-MAY-00
M MS14021C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00
M MS14022C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER PIN CONTACTS (S/S BY MIL-C-28748/7)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH]	A	5935		CC	17-MAY-00



# CANCELED SECTION

# DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MS14023C NOT 3	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER SOCKET CONTACTS (S/S BY MIL-C-28748/8)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18187E NOT 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS (S/S BY MIL-DTL-28748/3)[CUST: CR EC 11 CC] [REVIEW: AR AS AT CR4 MC OS]	A	5935		CC	17-MAY-00
M MS18188D NOT 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS (S/S BY MIL-DTL-28748/4)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI]	A	5935		CC	17-MAY-00
M MS18189C NOT 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS (S/S BY MIL-DTL-28748/3)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18190C NOT 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS (S/S BY MIL-DTL-28748/4)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18192F NOT 2	SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, 50 AND 75 CONTACT CONNECTORS (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18193E NOT 1	SHIELD, ELECTRICAL CONNECTORS FOR 66 AND 104 CONTACT CONNECTORS (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18194D NOT 2	JACKSCREW, ELECTRICAL CONNECTOR MALE AND FEMALE, LONG, TURNABLE (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18195B NOT 2	JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, TURNABLE (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18196E NOT 2	JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, FIXED (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18197E NOT 2	GUIDE PIN, ELECTRICAL CONNECTOR, MALE AND FEMALE (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18198B NOT 1	PLATE, RETAINING, RECEPTACLE, ELECTRICAL, CONNECTOR, FOR SIZE 14 AND 20 CONTACT CONNECTORS (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18199B NOT 2	PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 CONTACT CONNECTORS (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18200A NOT 2	PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 66 AND 104 CONTACT CONNECTORS (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18203F NOT 1	SHELL, ELECTRICAL, CONNECTOR, PLUG, RECTANGULAR, POLARIZING (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18204E(1) NOT 1	SHELL, ELECTRICAL CONNECTOR, RECEPTACLE, RECTANGULAR, POLARIZING (S/S BY MIL-DTL-28748/1 THROUGH /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR CR4 MC]	A	5935		CC	17-MAY-00
M MS18205B NOT 2	PIN, STRAIGHT HEADED (S/S BY MIL-DTL-28748/1 THRU /4)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18239B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80]	A	5935		CC	17-MAY-00
M MS18240B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18241B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL, 14, SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18242B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18243B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18244B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18245B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MI OS]	A	5935		CC	17-MAY-00
M MS18246B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18247B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18248B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18249B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18250B NOT 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18251B NOT 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18252B NOT 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18253B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18254B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS18255B NOT 2	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER SOCKET CONTACTS (S/S BY MIL-DTL-28748/2)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS]	A	5935		CC	17-MAY-00
M MS18264B NOT 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 9, SIZE 16 SOLDER PIN CONTACTS (S/S BY MIL-DTL-28748/1)[CUST: CR EC 11 CC] [REVIEW: 80 AM AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS24132F NOT 2	SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20 AND 26 RACK AND PANEL CONTACT CONNECTOR (S/S BY MIL-DTL-28748/1, /2, /5, AND /6)[CUST: CR EC 11 CC] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MS24133J NOT 2	SHIELD, ELECTRICAL CONNECTOR FOR 34, 42, 50 AND 75 CONTACT RACK AND PANEL CONNECTOR (S/S BY MIL-DTL-28748/1, MIL-DTL-28748/2, MIL-C-28748/5 AND MIL-C-28748/6)[CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	17-MAY-00
M MIL-P-55149/1D NOT 1	POSTS, BINDING, ELECTRICAL (INSULATED), TYPES PB01FA01 TO PB01FA04, INCLUSIVE (S/S BY A-A-59560)[CUST: CR EC 11 GS] [REVIEW: 99 MI]	A	5940		GS	23-JUN-00
M MIL-P-55149/8B(1) NOT 1	POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB08NA01 AND PB08NA02 (S/S BY A-A-59559)[CUST: CR SH 11 GS] [REVIEW: 99 AR AS AT MC MI OS]	A	5940		GS	23-JUN-00
M MIL-PRF-6106/31(1) NOT 2	RELAY, ELECTROMAGNETIC, RELAY EXTRACTION TOOL (S/S BY A-A-59546)[CUST: 11 CC]	A	5945		CC	01-JUL-00
M MS25064B NOT 1	CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING (S/S BY SAE-AS25064)[CUST: CR AS 11]	A	5975		AS	24-MAR-00
M A-A-54690 NOT 1	PAD, ELECTRODE, DEFIBRILLATOR (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00

# CANCELED SECTION

# DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-54696 NOT 1	SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54710 NOT 1	NEEDLE, HYPODERMIC, SPINAL ANESTHESIA, TUOHY (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54714 NOT 1	STOPCOCK, SURGICAL SYRINGE, ONE WAY (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54715 NOT 1	STOPCOCK, SURGICAL SYRINGE, 3-WAY, TUOHY (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54767 NOT 1	CATHETER AND NEEDLE UNIT, INTRAVENOUS, 14 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54769 NOT 1	CATHETERIZATION SET, URETHRAL DISPOSABLE, PLASTIC (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54777 NOT 1	BRIDGE, BOWELS, LOOP COLOSTOMY (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54810 NOT 1	BLOCK, BITE, PLASTIC (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54811 NOT 1	SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY, DETACHABLE NEEDLE (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	09-JUN-00
M	A-A-54832 NOT 1	SUPPORT, LEG CALF (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6515	/	MB	30-JUN-00
M	O-C-291B NOT 2	CHLOROFORM, TECHNICAL (NO S/S DOCUMENT)[CUST: EA 68] [REVIEW: GS MD]	A	6810	/	EA	22-JUN-00
M	BB-N-411C NOT 1	NITROGEN, TECHNICAL (S/S BY A-A-59503)[CUST: AV SH 68 GS] [REVIEW: AR AS DS EA MC MD OS YD]	A	6830	/	GS	01-JUN-00
M	AA-C-291G NOT 1	CHAIRS, FOLDING, (STEEL) (S/S BY A-A-3083)	A	7105	#	FSS	26-APR-00
M	MIL-P-89F NOT 1	PAN, MESS KIT, CORROSION RESISTING STEEL (NO S/S DOCUMENT)[CUST: GL SA 99 SS] [REVIEW: MC MD]	A	7350		SS	27-JUN-00
M	A-A-2661 NOT 1	BRUSHES, MUCILAGE (NO S/S DOCUMENT)	A	7510	#	FSS	02-NOV-99
M	ASTM-D3653-78	TAPE, PRESSURE SENSITIVE, HOLDING POWER OF LINEAL AND MULTIDIRECTIONAL FILAMENT REINFORCED (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD]	A	7510		AS	02-OCT-80
M	TT-P-19D(1) NOT 1	PAINT, LATEX (ACRYLIC EMULSION, EXTERIOR WOOD AND MASONRY) (S/S BY A-A-3183)	A	8010	#	FSS	04-APR-00
M	TT-P-664D NOT 3	PRIMER COATING, ALKYD, CORROSION-INHIBITING, LEAD AND CHROMATE FREE, VOC-COMPLIANT (S/S BY SSPC-PAINT25)[CUST: CR4 SH 99] [REVIEW: 11 AR AS GL MR OS YD]	A	8010	*	FSS	13-MAR-00
M	TT-E-2784A NOT 1	ENAMEL (ACRYLIC-EMULSION, EXTERIOR) (S/S BY A-A-3183)[CUST: 99 FSS] [REVIEW: 11 AR AS DS MC MI OS YD]	A	8010	*	FSS	04-APR-00
M	QPL-TT-P-664-21 NOT 3	PRIMER COATING, ALKYD, CORROSION-INHIBITING LEAD AND CHROMATE FREE, VOC-COMPLIANT (NO S/S DOCUMENT)	A	8010	/	FSS	13-MAR-00
M	ASTM-D541-87	YARN, JUTE, SINGLE (NO S/S DOCUMENT)[CUST: AR NU 99]	A	8310		AR	31-JUL-87
M	MIL-S-44102B NOT 1	SKIRT, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL (S/S BY A-A-55304)[CUST: GL CT] [REVIEW: MD]	A	8410		CT	16-JUN-00
M	ASTM-D2547-82	LEAD IN GASOLINE, VOLUMETRIC CHROMATE METHOD, TEST METHOD FOR (NO S/S DOCUMENT)[CUST: AV]	A	91GP		AV	27-AUG-82
M	ASTM-D2886-86	KNOCK CHARACTERISTICS OF MOTOR FUELS BY THE DISTRIBUTION OCTANE NUMBER (DON) METHOD (NO S/S DOCUMENT)[CUST: PS]	A	91GP		PS	31-OCT-86
M	ASTM-D549-88	PAPER AND PAPERBOARD, ROSIN IN (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD]	A	9310		AS	27-MAY-88
M	ASTM-D1098-61R73	PAPERBOARD, CORRUGATED, STATIC BENDING TEST FOR (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD]	A	9310		AS	18-SEP-61
M	MIL-P-46144C(1) NOT 1	PLASTIC SHEET, POLYCARBONATE (S/S BY A-A-59502)[CUST: MR SH 99 GS] [REVIEW: 19 84 AR AS AT CR MC OS]	A	9330		GS	09-JUN-00
M	ASTM-A777-91	WIRE, STEEL TYING, GALVANIZED ROUND (NO S/S DOCUMENT)[CUST: AR AS 99]	A	9505		AR	15-MAR-91
M	QQ-W-390/1 NOT 1	WIRE NONELECTRICAL, ROUND, NICKEL-CHROMIUM-IRON ALLOY (S/S BY ASTM-B166)[CUST: MR AS 11]	A	9525	/	MR	15-JUN-00
M	ASTM-E117-64R85	LEAD, PIG, BY THE POINT-TO-PLANE TECHNIQUE, SPECTROGRAPHIC ANALYSIS OF (NO S/S DOCUMENT)[CUST: AR SH 99]	A	9650		AR	31-AUG-64
M	ASTM-D781-68R73	PUNCTURE AND STIFFNESS OF PAPERBOARD, AND CORRUGATED AND SOLID FIBERBOARD (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD]	A	PACK		AS	01-MAY-81
M	ASTM-D1008-64R77	WATER VAPOR TRANSMISSION OF SHIPPING CONTAINERS (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD]	A	PACK		AS	01-DEC-64
M	ASTM-D1175-80	TEXTILE FABRICS, (OSCILLATORY CYLINDER AND UNIFORM ABRASION METHODS), ABRASION RESISTANCE OF (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD]	A	PACK		AS	03-MAR-80
M	ASTM-D3502-76	WOOD PRODUCTS, MOISTURE ABSORPTION OF COMPRESSED (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AL AR AV CG CR EC MC MR OS SH]	A	PACK		AS	01-OCT-82
M	ASTM-D3503-76	WOOD PRODUCTS, COMPRESSED, SWELLING AND RECOVERY OF, DUE TO MOISTURE ABSORPTION (NO S/S DOCUMENT)[CUST: SM AS 11] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD]	A	PACK		AS	01-OCT-82